

Cardiovascular Disease Consultants published abstracts

2008

Maddikunta R, Museitif R, Djelmami-Hani M, Shaikh F, Khitha J, Qamar S, Taha M, Nazir A, Sheikh AR, Aquil A, Schmidt W, Anderson AJ, Ahuja A, Allaqaband S, Mewissen MW, Tanvir B. Left ventricular dysfunction, a predictor of long-term outcomes following carotid artery stenting. *J Am Coll Cardiol* (in press).

Djelmami-Hani M, Museitif R, Taha M, Chadda N, Hashim A, Kazemi S, Gupta A, Tumuluri R, Shalev Y, Allaqaband S, Bajwa T. VIABAHN stent-graft for percutaneous revascularization of long, complex lesions (TASC C/D) of superficial femoral artery. *J Am Coll Cardiol* (in press).

Djelmami-Hani M, Schlemm A, Allaqaband S, Bajwa T. Impact of round-the-clock in-house interventional cardiologist on door-to-balloon time in STEMI patients. *J Am Coll Cardiol* (in press).

Ramamurthy S, Haddadian B, Port S. Post-stress gated SPECT LVEF is consistently lower than resting gated SPECT LVEF. *J Nucl Cardiol* (March 08).

Haddian B, Ramamurthy S, Port S. What causes the difference between resting and post-stress gated SPECT Left Ventricular Ejection Fractions? *J Nucl Cardiol* (March 08).

2007

McSwain CS, Benza R, Shapiro S, Hill N, Schilz R, Elliott CG, Zwicke DL, Oudiz R, Staszewski JP, Arneson CP, Wade M, Zaccardelli D, McLaughlin V. Dose proportionality of treprostinil sodium (Remodulin) administered by continuous subcutaneous and intravenous infusion. *Chest* 2007;132:634S.

Aronow HD, Donohoe D, Buchbinder M, Eskandari M, Krol K, Zidar J, Bajwa T, Bacharach M, Wang H. Defining the high endovascular risk patient with carotid stenosis: insights from the Cordis Carotid Stent Collaborative. *Am J Cardiol* 2007;100(8)suppl:88L.

Museitif R, Maddikunta R, Djelmami-Hani M, Shaikh F, Khitha J, Qamar S, Taha M, Nazir A, Sheikh AR, Aquil A, Anderson AJ, Allaqaband S, Schmidt W, Saxena V, Ahuja A, Mewissen MW, Bajwa T. Age-related outcomes in carotid artery stenting – is it safe in the elderly? 2007;100(8)suppl:90L.

Shaikh F, Maddikunta R, Museitif R, Djelmami-Hani M, Nazir A, Khitha J, Qamar S, Taha M, Sheikh AR, Aquil A, Anderson AJ, Mewissen MW, Allaqaband S, Bajwa T. Renal dysfunction – a significant predictor of long-term morbidity and mortality in carotid artery stenting. *Am J Cardiol* 2007;100(8)suppl:89L.

Shaikh F, Maddikunta R, Museitif R, Haddadian B, Dochee J, Quereshi J, Wallach JD, Solis J, Tumuluri R, Bajwa T, Allaqaband S. A prospective randomized trial comparing normal saline and sodium bicarbonate with or without N-acetylcysteine for prevention of contrast-induced nephropathy. *Am J Cardiol* 2007;100(8)suppl:122L.

Djelmami-Hani M, Nazir A, Taha M, Museitif R, Hashim A, Shaikh F, Kazemi S, Gupta A, Tumuluri R, Shalev Y, Oldridge N, Allaqaband S, Bajwa T. VIABAHN stent-graft for symptomatic recurrent in-stent restenosis of superficial femoral artery: immediate success and long-term patency. *Am J Cardiol* 2007;100(8)suppl:199L.

Solis J, Kirvaitis R, Djelmami-Hani M, Tector A, Kumar A, McDonald M, Allaqaband S, Bajwa T. Endovascular repair of thoracic aortic aneurysms and symptomatic type B dissections in high-risk non-surgical patients: results of a single center study. *Am J Cardiol* 2007;100(8)suppl:24L.

Zwicke D, Buggy B, Lobacz D, Schmidt W, Harris K, Wade M, Strootman D. Treprostinil sodium for management of wounds refractory to standard therapy secondary to critical limb ischemia. *Wounds* 2007;19:A31.

Zwicke D, Buggy B, Lobacz D, Schmidt W, Harris K, Wade M, Rollins K, Strootman D. Treprostinil sodium for management of wounds refractory to standard therapy secondary to critical limb ischemia: an extension study. *Wounds* 2007;19:A32.

Zwicke D, Buggy B, Lobacz D, Schmidt W, Harris K, Wade M, Strootman D. Treprostinil sodium for management of wounds refractory to standard therapy secondary to critical limb ischemia: Buerger's disease. *SAWC Website - Poster #329* (2007).

2006

Solis J, Hemsworth D, Ramamurthy S, Djelmami-Hani M, Shaikh F, Kumar A, Bajwa T. CT scan versus EndoSure™ for endoleak detection after endovascular repair of abdominal aortic aneurysm. *J Am Coll Cardiol J Am Coll Cardiol* 2007;49(Suppl B):27B.

Djelmami-Hani M, Mouanoutoua M, Hashim A, Solis J, Bergen L, Oldridge N, Egbujiobi LC, Akhtar M, Allaqaband S, Bajwa T. Elective percutaneous coronary intervention without on-site surgical backup: a community hospital experience. *J Am Coll Cardiol* 2007;49(Suppl A):281A.

Kazemi S, Djelmami-Hani M, Tumuluri R, Gupta A, Shalev Y, Allaqaband S, Bajwa T. VIABAHN stent-graft for treatment of in-stent restenosis in femoropopliteal vascular occlusive disease, procedural outcome and one-year follow up. *Am J Cardiol* 2006;98:236M(TCT#608).

Kazemi S, Bangash A, Gupta A, Tumuluri R, Shalev Y, Allaqaband S, Bajwa T. Prospective, randomized comparison of VIABAHN stent-graft versus SilverHawk atherectomy for de novo femoropopliteal occlusive disease. *Am J Cardiol* 2006;98:10M(TCT#20).

Kazemi S, Djelmami-Hani M, Gupta A, Tumuluri R, Shalev Y, Allaqaband S, Bajwa T. One year patency rate of the VIABAHN stent-graft for chronic total occlusion or long high-grade stenosis of the superficial femoral artery. *Am J Cardiol* 2006;98:235M(TCT#607).

Bajwa T, Solis J, Shaikh F, Allaqaband S, Kumar A. Does aneurysm sac pressure measurement during endovascular repair of abdominal aortic aneurysm detect endoleaks? *Am J Cardiol* 2006;98:9M(TCT#19).

Shaikh F, Solis J, Maddikunta R, Haddadian B, Allaqaband S, Bajwa T. Stent fracture, an incidental finding or a significant marker of clinical in-stent restenosis? *Am J Cardiol* 2006;98:16M(TCT#33).

2005

Kazemi S, Djelmami-Hani M, Gupta A, Tumuluri R, Shalev Y, Allaqaband S, Bajwa T. Intermediate patency rate of the Viabahn stent-graft for chronic total occlusion or long high-grade stenosis of the superficial femoral artery. *Am J Cardiol* 2005;96:141H.

Solis J, Hemsworth D, Maddikunta R, Shalev Y, Bajwa T, Gupta A. Evaluation of thrombolytics in peripheral vascular thrombosis 1999-2003: a single center experience. *Catheter Cardiovasc Interv* 2005;65:153.

Solis J, Tumuluri R, Allaqaband S, Kumar A, Bajwa T. Internal iliac artery and endovascular repair of abdominal aortic aneurysm: embolization or no embolization. *Catheter Cardiovasc Interv* 2005;65:138.

Solis J, Tumuluri R, Allaqaband S, Kumar A, Bajwa T. Comparison of AneuRx stent graft with Gore Excluder for endovascular repair of abdominal aortic aneurysms: procedure success and one-year follow up. *Catheter Cardiovasc Interv* 2005;65:137.

Solis J, Tumuluri R, Allaqaband S, Kumar A, Bajwa T. Assessment of infra-renal neck for endovascular repair of abdominal aortic aneurys: IVUS versus CT scan. *Catheter Cardiovasc Interv* 2005;65:152.

Solis J, Tumuluri R, Allaqaband S, Kumar A, Bajwa T. Endovascular aneurysm repair: safer alternative to open surgical repair in high risk patients. *Catheter Cardiovasc Interv* 2005;65:152.

Galie N, Keogh A, Frost A, Zwicke D, Oudiz R, Shapiro S, Naeije R, Olschewski H, Badesch D, McGoon M, Simonneau G, Manes A, Rubin L. Ambrisentan long-term safety and efficacy in pulmonary arterial hypertension-one year follow-up. *PATS (Proceedings from the American Thoracic Society)* 2005;2:(April issue).

Frost A, Manes A, Keogh A, Zwicke D, Oudiz R, Shapiro S, Naeije R, Olschewski H, Badesch D, McGoon M, Simonneau G, Rubin L, Galie N. Ambrisentan improves 6-minute walk distance equally for WHO Class II and III PAH patients. *PATS (Proceedings from the American Thoracic Society)* 2005;2:(April issue).

Kazemi S, Tumuluri R, Allaqaband S, Gupta A, Shalev Y, Gal R, Bajwa T. Percutaneous revascularization of femoropopliteal arteries with self-expanding nitinol stents – immediate success and one-year results. *J Am Coll Cardiol* 2005;45(suppl):68A.

2004

Zwicke DL, Lobacz D, Harris K, Roseigno R, Watson J. Transitioning from intravenous epoprostenol to subcutaneous treprostinil in stable pulmonary arterial hypertension outpatients. *Chest* 2004;126:760S.

Mortada ME, Mouanoutoua M, Allaqaband S, Tumuluri R, Shalev Y, Gupta A, Bajwa T, Akhtar M, Chekanov V. Electrical pacemaker reduces coronary artery atherosclerosis as well as cardiac events. *Arterioscler Thromb Vasc Biol* 2004;24:E69 (online).

Zaidi S, Gupta A, Allaqaband S, Tumuluri R, Shalev Y, Bajwa TK, Akhtar M. Cardiac catheterization simulator. *J Am Coll Cardiol* 2004;43:(suppl) 10A (1001-40).

Rubin L, Galie' N, Badesch D, Oudiz R, Simonneau G, McGoon M, Manes A, Keogh A, Frost A, Zwicke D, Naeije R. Ambrisentan improves exercise capacity and clinical measures in pulmonary arterial hypertension (PAH). *Am J Respir Crit Care Med* 2004 (abstract suppl)A210.

Hill N, Barst R, Vachieri JL, Zwicke D, Naeije R. Long-term follow-up to the effects of transitioning patients with pulmonary arterial hypertension from IV epoprostenol to SC treprostinil. *Am J Respir Crit Care Med* 2004;(abstract suppl)A174.

Horn E, Langleben D, Frost A, Hill, NS, McLaughlin V, Oudiz R, Robbins IM, Shapiro S, Tapson V, Zwicke D, Barst RJ for the STRIDE-1 Study Group. Chronic Sitaxsentan in pulmonary arterial hypertension. *Am J Respir Crit Care Med* 2004;(abstract suppl)A210.

Frost A, Langleben D, Hill NS, Horn E, McLaughlin V, Oudiz R, Robbins IM, Shapiro S, Tapson VF, Zwicke D, Barst RJ for the STRIDE-1 Study Group. 6MW as an efficacy endpoint in PAH clinical trials: demonstration of a ceiling effect. *Am J Respir Crit Care Med* 2004;(abstract suppl)A176.

2003

Zwicke DL, Buggy BP, Evans W. Successful management of pregnancy in six patients with pulmonary artery hypertension (PAH). *Chest* 2003;124:89S.

Zwicke D, Lobacz D, Johnson L, Wade M, Roscigno R. Long-term treatment of pulmonary arterial hypertension with treprostinil: echocardiographic evaluation of efficacy. *Chest* 2003;124:89S-b.

Zwicke DL, Buggy BP, Lobacz D, Harris K. Rapid transition from subcutaneous remodulin to intravenous flolan therapy in pulmonary hypertension patients. *Chest* 2003;124:90S.

Barst RJ, Langleben D, Frost A, Horn E, Oudiz R, Shapiro S, McLaughlin V, Hill N, Tapson V, Robbins I, Zwicke D, Duncan B, Frumkin LR. Sitaxsentan, a selective ETA antagonist improves exercise capacity and NYHA functional class in pulmonary arterial hypertension (PAH). *Am J Respir Crit Care Med* 2003;167:A440.

Barst RJ, Langleben D, Frost A, Horn E, Oudiz R, Shapiro S, McLaughlin V, Hill N, Tapson V, Robbins I, Zwicke D, Duncan B, Frumkin LR. Sitaxsentan, a selective ETA antagonist, improves cardiopulmonary hemodynamics in pulmonary arterial hypertension (PAH). *Am J Respir Crit Care Med* 2003;167:A273.

Shapiro S, Hill W, Zwicke D, Lobacz D, Roscigno R, Olson JJ. Successful management of infusion site pain associated with remodulin (treprostinil sodium) therapy. *Am J Respir Crit Care Med* 2003;167:A441.

Kipshidze H, Tchekanov G, Dangas G, Mehran R, Tio F, Roubin G, Adamian M, Leon M, Colombo A, Edelman E, Moses J, Akhtar M, Chekanov V. Transplantation of autologous endothelial cells induces angiogenesis in a sheep model of chronic ischemia. *J Am Coll Cardiol*, 2003;41,6(suppl) 308A.

Chekanov V, Mortada M, Akhtar M. Low frequency electrical impulses reduces atherosclerosis in cholesterol fed rabbit. Second International Conference on Cardiovascular Medicine and Science. Bethesda, 2003 p.49.

Chekanov V, Hare J, Krum D, Bajwa T, Akhtar M. Electrical stimulation promotes angiogenesis in a rabbit hind-limb ischemia model. Second International Conference on Cardiovascular Medicine and Science. Bethesda, 2003 p.67.

Chekanov V, Zargarian M, Hare J, Bajwa T, Akhtar M. Iron chelation with deferoxamine accelerates angiogenesis in a rabbit model of acute limb ischemia. Second International Conference on Cardiovascular Medicine and Science. Bethesda, 2003 p.66.

Allaqaband S, Kumar A, Bajwa TK. Repair of abdominal aortic aneurysms in surgical high-risk patients using endovascular stent-graft. *Catheter Cardiovasc Interv* 2003;59(1) (A)

Allaqaband S, Shaikh F, Zaidi S, Gupta A, Shalev Y and Bajwa T. Blood pressure control after renal artery stenting in 100 consecutive hypertensive patients with atherosclerotic renal artery stenosis. *Am J Cardiol* 2003;92(6):53L (117A).

Allaqaband S, Shaikh F, Zaidi S, Gupta A, Shalev Y and Bajwa T. Long-term effects of renal artery stenting on renal function in patients with atherosclerotic renal artery stenosis and baseline creatinine of > 2.0mg/dl. *Am J Cardiol* 2003;92(6):54L (119A).

Allaqaband S, Kumar A, Bajwa TK. Endovascular Stent-graft Repair of Abdominal Aortic Aneurysms in Elderly. *Catheter Cardiovasc Interv* 2003;59(1) (A).

Mouanoutoua M, Allaqaband S, Maddikunta R, Gupta A, Bajwa TK. Endovascular treatment of aortoiliac occlusive disease using kissing stents in high-risk patients: procedural results and long-term follow-up. *J Am Coll Cardiol* 2003;41(6):1199-200(76A).

Kipshidze N, Chekanov V, Moussa I, et al. Interferone significantly inhibit smooth muscle cell growth in the absence of significant toxicity in vitro. *Am J Cardiol* 2003;92(suppl):546.

Kipshidze N, Chekanov V, Tchekhanov G et al. Efficacy of local systemic delivery of a new photosensitizer talaporfin to arterial injury site in a rabbit model. *Am J Cardiol* 2003;92(suppl):214.

2002

Hill NS, Barst R, Vachieri JL, Zwicke D, Roscigno R, Hess D, Naeije R. Transitioning from intravenous (IV) epoprostenol to subcutaneous (SC) trepostinil in patients with pulmonary hypertension. *Am J Respir Crit Care Med* 2002;165:B53.

Chekanov V, Dumcius A, Akhtar M. Variations of electrical stimulation regimens for acute thoracic aortomyoplasty in a canine model. *IFESS*; 405-7, 2002.

Chekanov V, Mortada M, Tchekhanov G, Krum D, Akhtar M. Slowing atherosclerosis progression or elimination of it: do low frequency electrical impulses help? *IFESS*;371-3, 2002.

Chekanov V, Hare J, Bajwa T, Akhtar M. Electrical stimulation promotes angiogenesis. *IFESS*;327-39, 2002.

Chekanov V Nikolaychik V, Tchekhanov G, Kipshidze N, Akhtar M. Autologous endothelial cell transplantation in ischemic sheep myocardium. *Europace* 3;(suppl A):A31, 2002.

Chekanov V, Krum D, Hare J, Bajwa T, Akhtar M. Electrical Stimulation promotes angiogenesis in severe hind limb ischemia. *Europace* 3;(suppl A):A33, 2002.

Chekanov V, Mortada M, Krum D, Hare J, Tchekhanov G, Eisenstein R, Akhtar M. Electrical impulses slow atherosclerosis progression in abdominal rabbit aorta. *Europace* 3;(suppl A):A33, 2002.

Chekanov V, Hare J, Maternovsky M, Berger M, Kress D, Sra J, Akhtar M. Comparison of seven models of chronic heart failure. *Intl J Artificial Organs* 25;(7):669, 2002.

Chekanov V, Hare J, Kress D, Mirhoseini M, Akhtar M. Adaptive cardiac binding: new approach to ventricular remodeling in end-stage congestive heart failure. *Intl J Artificial Organs* 25;(&):674, 2002.

Chekanov V, Maternovsky M, Dumcius A, Akhtar M. Start immediate cardiac assist after aortomyoplasty. *Intl J Artificial Organs* 25;(&):674, 2002.

Chekanov V, Maternovsky M, Akhtar M, Moses J, Kipshidze N. Endothelial cell transplantation into ischemic myocardium. *Intl J Artificial Organs* 25;(&):664, 2002.

Chekanov V, Mortada M, Krum D, Tchekanov G, Eisenstein R, Akhtar M. Electrical impulses prevent development of atherosclerosis in cholesterol fed rabbits. *J Arteriosclerosis Thrombosis Vasc Biol* 22;(5):405, 2002.

Chekanov V, Mortada M, Krum D, Tchekanov G, Eisenstein R, Akhtar M. Diminution of advanced atherosclerosis by electrical impulses in the rabbit abdominal aorta. *J Arteriosclerosis Thrombosis Vasc Biol* 22;(5):405, 2002.

Mortada E, Gal R. Pharmacologic stress testing with adenosine: side effects correlate with the patient's age and gender. *ACP-ASIM*.

2001

Chekanov V, Nikolaychik V, Kipshidze N. Transplantation of autologous endothelial cells induces angiogenesis in ischemic myocardium. In book: What's New in Cardiac Bioassist. Lubeck, Germany, 2001, p.15.

Chekanov V, Nikolaychik V, Moses W, Leon M, Kipshidze N. Iron chelator-deferoxamine enhanced angiogenesis in vitro and in vivo. Abstracts for the scientific conference on therapeutic angiogenesis and myocardial laser revascularization. Santa Fe, New Mexico, 2001, p 9.

Chekanov V, Nikolaychik V, Tchekanov G et al. Transplantation of autologous endothelial cells in a fibrin meshwork induces angiogenesis and improves myocardial function in an animal model of ischemic cardiomyopathy. *Circulation*, 2001; 104,17:II-260.

Chekanov V, Nikolaychik V, Tchekanov G, Dugas G, Roubin G, Leon M, Moses J, Kipshidze N. Transplantation of autologous endothelial cells in fibrin meshwork induces angiogenesis and improves myocardial function in an animal model of ischemic cardiomyopathy. In book of XI Congress of the Mediterranean league of Angiology and Vascular Surgery. Chios, Greece, 2001, p 103.

Chekanov V, Tchekanov G, Maternowski M, Mortada M, Eisenstein R. Low frequency electrical stimulation prevents atherosclerosis in a rabbit model. *Pacing Clin Electrophysiol* 2001,24(4) II: 716

Dumcius A, Bavarskis E, Chekanov V, Bytautas A. Effect of thoracic aortomyoplasty using a new cardiomyostimulator for cardiac bioassist LD-PACE II. In book: What's New in Cardiac Bioassist. Lubeck, Germany, 2001, p. 22

Johnson D, Chekanov V, Nikolaychik V, Kipsidze N. Surgical angiogenesis in the treatment of non-option patients. Abstracts for the scientific conference on therapeutic angiogenesis and myocardial laser revascularization. Santa Fe, New Mexico; 2001, p 47.

Chekanov V, Cayton M, Kazemi S, Mortada M, Rayel R, Hare J, Maternovsky M, Akhtar M, Mirhoseini M. Electrical stimulation increases angiogenesis and prevents atherosclerosis. National Congress on Cardiovascular Update, Tehran, Iran, 24-25, 2001.

Goel A, Rayel R, Guda N, Zwicke D.: The value of troponin-I as a screening tool for acute coronary syndromes. American College of Chest Physicians International Conference, 2001.

2000

Gupta A, Sander G, Schmidt DH. High homocysteine concentration is a risk factor for major adverse cardiovascular events and angiographic restenosis after coronary intervention. *J Am Coll Cardiol* 2000;35:88A.

Ahmad, A, Siegal R, Presberg K, Zwicke, DL: Role of Alprostadil (PGE1) in acute drug testing for pulmonary hypertension (PH). *J Am Coll Cardiol* 2000;35:287A.

Chekanov VS, Brum F, Arzuaga J, Fiandra O, Melamed V. New cardiac bioassist functions in a new cardiomyostimulator—LD PACE II. *Europace J* 2000;(1 Suppl D):243.

Chekanov VS, Brum F, Arzuaga P, Krum D, Hare J, Maternowski M, Tchekanov G. Work-rest and night/day regimens—Two new functions in a new cardiomyostimulator (LD-PACE II) designed for cardiac bioassist. *ASAIO J* 2000;46(2):176.

Chekanov VS, Maternowski M, Karakazov P. Older skeletal muscle does not convert completely to a fatigue-resistant state after electrical stimulation training. *Europace J* 2000;(1 Suppl D):244.

Chekanov VS, Tchekanov V, Maternowski M, Mortada M, Eisenstein; R. Electrical stimulation prevents atherosclerosis. *Europace J* 2000;(1 Suppl D):252.

Chekanov VS. Multistep approach for improving cardiomyoplasty results. *ASAIO J* 2000; 46 (2):177.

Chekanov VS, Maternowski, Tchekanov V, Mortada M, Eisenstein R. A new alternative for the use of electrical stimulation—Atherosclerosis prevention. *Basic Appl Myol* 2000;(10 Suppl 1&2):76.

Lorruso R, Werling C, Kaulbach H, Mesana T, Gerometta P, Bolotin G, Chekanov VS. Cardio-myoplasty and implantable defibrillator in heart failure patients: Positive impact on patient survival. *Basic Appl Myol* 2000;(10 Suppl 1&2):76.

Nikolaychik VV, Chekanov VS, Maternowski M, Influence of electrical stimulation on subtotally mobilized latissimus dorsi muscle. *Basic Appl Myol* 1999; 9(3):140.

Tchekanov G, Maternowski M, Mortada M, Eisenstein R. Chekanov VS. Use of electrical stimulation to prevent atherosclerosis in the abdominal aorta. *J Am Coll Cardiol* 2000;35 (2)(Suppl A):2000.

1999

Chekanov V, Brum F, Arzuaga J, Fiandra O, Melamed V. LD PACE II—A new cardiomyostimulator with new functions for cardiobioassist. International Workshop In Cardiobioassist (abstract book). Paris, France, October 4–5, 1999, 5. *Basic Appl Myol* 1999;9(3): 135.

Chekanov V, Maternowski M, Karakozov P. Skeletal muscle age must be considered prior to use in cardiac assist. International Workshop in Cardiobioassist Paris, France, October 4–5, 1999, 21. *Basic Appl Myol* 1999;9 (3):141.

Chekanov V, Maternowski M, Nikolaychik V. Influence of electrical stimulation on subtotally mobilized latissimus dorsi muscle. International Workshop in Cardiobioassist (abstract book) Paris, France, October 4–5, 1999,18.

Chekanov VS, Deshpande S. Dynamic cardiomyoplasty for patients with advanced dilative or ischemic cardiomyopathy and severe rhythm disturbances. *J Heart Dis* 1999;1(1): 182.

Chekanov VS, Rieder MA, Karakozov PE. Age-related muscle plasticity. *ASAIO J* 1999, 45(2):199.

Chekanov VS, Rieder MA, Nikolaychik VV. Angiogenesis in latissimus dorsi muscle using different regimens of stimulation and pharmaceutical support. *ASAIO J* 1999;45 (2):119.

Chekanov VS, Rieder MA, Nikolaychik VV. Direct myocardial revascularization in an experimental cardiomyoplasty model. *ASAIO J* 1999,45(2):119.

Chekanov VS, Tchekanov GV, Rieder MA. A stable model of chronic bilateral heart failure induced by arteriovenous anastomosis and doxorubicin administration. *J Heart Dis* 1999; 1(1):205.

Rieder MA, Nikolaychik VV, Chekanov V Colson M. Accelerating angiogenesis and capillarization between skeletal muscle and myocardium in experimental model of an ischemic heart. *J Am Coll Cardiol* 1999,33(2): 344A.

1998

Bajwa T, Shalev Y, Schmidt DH. Carotid artery stenting in octogenarians: Demonstration of high primary success rates and enhanced long-term benefit. *J Am Coll Cardiol* 1998;31(2):77A.

Bajwa T, Shalev Y, Schmidt DH. Successful bilateral carotid artery stenting after failed carotid endarterectomy. *J Am Coll Cardiol* 1998;31(2):63A.

Chekanov V, Dubrovsky I. Russian stimulator and electrical stimulation protocol for cardiomyoplasty. *ASAIO J* 1998,44(2):87A.

Chekanov V, Rieder M, Tchekanov G, Schmidt D. Hemodynamic results after cardio-myoplasty were not impaired when stimulator was ceased for 12 hours daily. *Coeur et Vaisseaux* 1998;91(III):71.

Chekanov V, Rieder M. Muscle plasticity is an age-dependent factor in post-cardiomyoplasty training. ISCT 8th World Congress of Cardiothoracic Surgeons (abstract book). Houston, Texas, 1998, 47.

Chekanov V. A new scoring system to facilitate comparison of hemodynamic results of cardiac surgeries. ISCTS 8th World Congress of Cardiothoracic Surgeons, (abstract book). Houston, Texas, 1998, 46.

Chekanov V. Proposal to enhance electrical stimulation muscle training post cardiomyoplasty. ISCTS 8th World Congress of Cardiothoracic Surgeons (abstract book). Houston, Texas, 1998, 45.

Chekanov V, Rieder M, Nikolaychik V. Correlation between capillary density and fatigue resistance in newly mobilized latissimus dorsi muscle. *ASAIO J* 1998;44(2):87A.

Chekanov VS, Deshpande S, Waller D, Francischelli D, Werner P, Schmidt DH. ICD implantation to safeguard against fatal arrhythmias. *BAM* 1998;8(1):11.

Chekanov VS, Nikolaychik V, Tchekanov G, Rieder M, Colso M, Francishelli D, Schmidt D. Angiogenesis in stimulated skeletal muscle. *Coeur et Vaisseaux* 1998;9(III):73.

Chekanov VS, Nikolaychik VV, Rieder MA, Schmidt DH. Improving cardiomyoplasty results: Introduction of an integrated five-step approach for overcoming weak points. *BAM* 1998;8(1):4.

Chekanov VS, Rieder MA, Zander GL, Cheng Q. Age-related muscle plasticity as a response to long-term electrical stimulation. *BAM J* 1998;8(3):248–249.

Chekanov VS. How to evaluate long-term hemodynamic results in cardiomyoplasty. *BAM J* 1998;8(3):264–265.

Chekanov VS., Rieder MA, Tchekanov GV. Hemodynamic results after cardiomyoplasty in a chronic heart failure model cessation of electrical stimulation for 12 hours daily. *BAM J* 1998;8(3):253–254.

Dib N, Bajwa T, Shalev Y, Nesto R, Schmidt DH. Validation of Doppler FloWire for measurement of coronary flow reserve in humans. *Cathet Cardiovasc Diagn* 54(4):382–285 ;1998.

Kipshidze NN, Parsotam L, Johnson D, Keelan MH, Chekanov V, Nikolaychik V. Catheter-based endovascular angiogenesis in patients with advanced coronary artery disease. 25th International Fibrinogen Workshop. Cleveland Clinic Foundation, 1998, 104.

Nikolaychik V, Chekanov V, Silverman M, Samet M, Schmidt D, Lelkes P. Using autologous biological glue as adhesive, angiogenic matrix, and drug delivery depot in dynamic cardiomyoplasty. *Cardiovasc Path* 1998;7(6):330.

Nikolaychik V, Keelan V, Chekanov VS, Haudenschild C, Kipshidze N. Fibrin meshwork as angiogenic matrix for therapeutic angiogenesis. *Circulation* 1988;98 (17):1–456.

Parshotam L, Sahota H, Nikolaychik V, Chekanov V, Keelan M, Kipshidze N. Therapeutic angiogenesis in patients with advanced coronary artery disease. *Circulation* 1998;98 (17):1352–353.

Shalev Y, Gupta A, Bajwa T. The severity of below-the-knee peripheral occlusive disease is diagnosed better by arterial duplex scan than by ankle-brachial index. 2nd International Congress on Coronary Artery Disease, Florence, Italy, October 18–21. 1998.

1997

Gupta A, Dennis V, Green R, Jacobsen DW, Arheart K, Robinson K. High homocysteine concentrations, a risk factor for atherosclerotic complications of end stage renal disease, may be normalized by high doses of folic acid. *J Am Coll Cardiol* 1997;29:43A.

Gupta A, Dennis V, Arheart K, Jacobsen DW, Robinson K. High plasma homocysteine is a risk factor for vascular complications of end stage renal disease and enhances the adverse effects of smoking and diabetes. *J Am Coll Cardiol* 1997;29:126A.

Abou-Gazala T, Lobo A, Alsous F, Gupta A, Moustapha A, Jacobsen DW, Robinson K. High plasma homocysteine, in patients with coronary artery disease, can be reduced by folic acid supplementation. *J Am Coll Cardiol* 1997;29:488A.

Moustapha A, Gupta A, Jacobsen DW, Green R, Goormastic M, Tucz EM, Young J, Hobbs R, James K, Robinson K. Homocysteine, a risk factor for atherosclerosis and thromboembolic vascular disease, is high in patients who have undergone orthotopic cardiac transplantation. *J Am Coll Cardiol* 1997;29:290A.

Bajwa T, Shalev Y, Schmidt DH. Retrograde popliteal stenting of chronic total occlusions in failed antegrade angioplasty: Demonstration of improved primary success and limited long-term benefit. *J Am Coll Cardiol* 29(2):485A;1997.

Chekanov V, Nikolaychik V, Tchekanov G, Rieder M, Wankowsky D, Hernandez I, Eisenstein R, Lelkes P, Schmidt D. Treatment of ischemia-reperfusion damage to the latissimus dorsi muscle after cardiomyoplasty mobilization. *J Am Coll Card* 1997;29: 151.

Chekanov V, Nikolaychik V, Tchekanov G, Rieder M, Wankowsky D, Hernandez I, Samet M, Francischelli D, Schmidt D, Lelkes P. Improving cardiomyoplasty results: A mobile interlayer created between the latissimus dorsi and myocardium. *J Artif Organs* 1997;21 (6):505.

Chekanov V, Tchekanov G, Rieder M, Nikolaychik V, Lelkes P, Schmidt D. How to increase and enhance myocardial revascularization after dynamic cardiomyoplasty. 7th World Congress: Progress and Future Trends (abstract book). Dusseldorf, Germany, 1997, p.36.

Chekanov V, Tchekanov G, Rieder M, Nikolaychik V, Schmidt D. Improving cardiomyoplasty results: Muscle adaptation using an electrical stimulation protocol started immediately after mobilization. *J Artif Organs* 1997 ;21(6):506.

Chekanov V, Tchekanov G, Rieder M, Nikolaychik V. How to improve the performance of the latissimus dorsi muscle used for cardiomyoplasty. 7th World Congress: Progress and Future Trends (abstract book) Dusseldorf, Germany, 1997, 26.

Chekanov V, Tchekanov G, Rieder M, Smith L, Christensen C. How to begin cardiac assistance immediately after cardiomyoplasty. 7th World Congress—Progress and Future Trends (abstract book) Dusseldorf, Germany, 1997, 70.

Chekanov VS, Deshpande S, Francischelli D, Schmidt D. Combined clinical dynamic cardiomyoplasty and cardioverter-defibrillator implantation in patients with ventricular tachycardia. *ASAIO J* 1997;43(2):40.

Chekanov VS, Deshpande S, Francischelli D, Schmidt DH, Waller D. Cardiomyostimulator and cardioverter-defibrillator interaction in clinical dynamic cardiomyoplasty. *Proceedings IFESS 97*. Burnaby, British Columbia, Canada, August 1997, 61–62.

Chekanov VS, Rieder M, Zander G, Tchekanov GV, Schmidt D, Christensen C. Biochemical and morphological responses in adult and growing organisms after latissimus dorsi conditioning for cardiomyoplasty. *J Am Coll Card* 1997;29:318.

Chekanov VS, Tchekanov GV, Rieder MA, Christensen CW, Schmidt DH. Cessation of stimulation for 12 hours daily did not impair hemodynamic results after cardiomyoplasty in chronic heart failure model. *ASAIO J* 1997; 43(2):55.

Chekanov VS, Tchekanov GV, Rieder MA, Nikolaychik VV, Schmidt DH. Different approaches for improving cardiomyoplasty results. *Pacing Clin Electrophysiol* 1997;20 (9):2338.

Nikolaychik V, Lelkes P, Chekanov V, Keelan M, Horn J, Fergusson J, Kipshidze N. Fibrin meshwork: Friend or foe? Application in cardiology. *Am J Cardiol* 1997;745.

Nikolaychik V, Tchekanov G, Rieder M, Wankowsky D, Eisenstein R, Lelkes P, Schmidt D, Chekanov V. Improving cardiomyoplasty results: Prevention of latissimus dorsi muscle damage after mobilization. *J Artif Organs* 1997;21(6):508.

Nikolaychik V.V, Lelkes PI, Francischelli D, Schmidt D, Chekanov V. Angiogenic process after dynamic cardiomyoplasty *J Heart Failure* 1997;4(1):149.

Schmidt D, Werner P, Deshpande S, Francischelli D, Chekanov V. How to prevent sudden death after dynamic cardiomyoplasty. 7th World Congress: Progress and Future Trends (abstract book). Dusseldorf, Germany, 1997, 139.

Shalev Y, Dib N, Schmidt DH, Bajwa T. Validation of Doppler FloWire in measuring coronary flow reserve in humans. 2nd International Meeting on Interventional Cardiology, Tel-Aviv, Israel, June 30–July 3, 1997.

Shalev Y, Gupta A, Schmidt DH, Bajwa T. ReoPro affects platelet P-selection activity in unstable angina patients as 2 weeks post angioplasty. 2nd International Meeting on Interventional Cardiology, Tel-Aviv, Israel, June 30–July 3, 1997.

Shalev Y, Gupta A, Schmidt DH, Bajwa T. Stent-like coronary angioplasty is similar to regular stent implantation in early and late one-year outcome. 2nd International Meeting on Interventional Cardiology, Tel-Aviv, Israel, June 30–July 3, 1997.

Shalev Y, Yehyawi K, Schmidt DH, Bajwa T. ReoPro is superior to intracoronary urokinase with better early and late outcomes for coronary angioplasty of lesions with clots. 2nd International Meeting on Interventional Cardiology, Tel-Aviv, Israel, June 30–July 3, 1997.

Tchekanov GV, Rieder MA, Chekanov VS. Response of the mobilized latissimus dorsi muscle after variations of the electrical stimulation regimen. Proceedings IFESS 97. Burnaby, British Columbia, Canada, August 1997, 37–38.

1996

Bajwa T, Shalev Y, Schmidt DH. Subclavian artery stenting for treatment of upper extremity claudication and subclavian and steal syndromes: Demonstration of favorable long-term outcome. *Circulation* 94(8):I–58;1996.

Chekanov V, Nikolaychik V, Schmidt D. Cardiomyoplasty: A look to the future. A Century of Cardiac Surgery Symposium: 1896–1996. Hiroshima, Japan. Abstract Book S-3, 1996.

Chekanov VS, Cheng Q, Tchekanov G, Rieder M, Smith L, Zander G, Christensen C. Skeletal muscle of a growing organism has a greater transformation after electrical stimulation than adult skeletal muscle. *ASAIO J* 1996;42(2):100.

Chekanov VS, Nikolaychik V, Tchekanov G, Rieder M. Cardiomyoplasty: Overcoming weak points. *ASAIO J* 1996;42(2):42.

Chekanov VS, Nikolaychik VV, Tchekanov G. Biological glue increased capillary ingrowth after cardiomyoplasty in an ischemic cardiomyopathy model. *ASAIO J* 1996;42(2):17.

Chekanov VS, Nikolaychik VV, Tchekanov GV, Schmidt DH. Overcoming factors that compromise cardiomyoplasty results. 12th Annual Session of the Academy of Surgical Research. *J Invest Surgery* 1996.

Chekanov VS, Tchekanov GV, Nikolaychik VV, Rieder MA, Schmidt DH. Multi-use investigation of fibrin sealant in experimental chest surgery. *Chest* 1996;110(4): 213S.

Chekanov VS, Tchekanov GV, Rieder MA, Nikolaychik VV, Schmidt DH, Lelkes PI. Improving indirect myocardial revascularization after dynamic cardiomyoplasty. *Circulation* 1996;94(8):I-342

Chekanov VS, Tchekanov GV, Rieder MA. A new electrical stimulation and assist protocol started immediately after cardiomyoplasty. 1st Annual Conference of the International Functional Electrical Stimulation Society. Cleveland. Abstract Book 80, 1996.

Chekanov VS. The 1:4 stimulation regimen is the most effective for cardiomyoplasty (clinical evidence). 1st Annual Conference of the International Functional Electrical Stimulation Society. Cleveland. Abstract Book 24, 1996.

Gupta A, Kottke-Marchant K, Secic M, Jacobsen DW, Green R, Robinson. Elevated plasma homocysteine: A common reversible risk factor for thromboembolism in men and women. *J Am Coll Cardiol* 196;27:273A.

Nikolaychik V, Lelkes P, Eisenstein R, Tchekanov G, Rieder M, Chekanov V. Bio-pharmacological preconditioning of skeletal muscle for cardiac assist. A Century of Cardiac Surgery Symposium: 1896–1996. Hiroshima, Japan. Abstract Book P-95, 1996.

Nikolaychik VV, Chekanov VS, Samet MM, Schmidt DH, Lelkes PI. Successful dynamic cardiomyoplasty with pharmaceutical support. 6th International Symposium on Artificial Heart. Tokyo, Japan. Abstract Book 96, 1996.

Shalev Y, Fortsas M, Schmidt DH, Bajwa T. A modification of the peripheral angioplasty procedure to treat below-the-knee vascular disease: Initial success and late outcome in 97 patients. *J Am Coll Cardiol* 27(2):191A;1996.

Zwicke, DL, et al. Chronic pulmonary embolism is frequently missed as an etiology for pulmonary hypertension. *CHEST* 1996;110,;218S.

Zwicke, DL, et al.: Multi-disciplinary approach to diagnosis of pulmonary hypertension provides increased accuracy in diagnosis and subsequent treatment. *CHEST* 1996;110:28S.

1995

Bajwa T, Shalev Y, Schmidt DH. Stenting of renal artery stenosis: One-year follow-up. *J Am Coll Cardiol* 25(1):381A;1995.

Chekanov V, Tchekanov G, Rieder M, Cheng Q, Jacobs G, McConchie S, Schmidt C, Christensen C. Immediate cardiac assistance using unconditioned latissimus dorsi muscle in a work-rest regimen. *ASAIO J* 1995;41(1): 97.

Chekanov VS, Rieder MA, Smith LM, Silverstein E, Cheng Q, Jacobs G, Schmidt DH. Is it possible to obtain fatigue resistance in skeletal muscle without decreasing contractility force? 5th World Congress of Advantages and Challenges. Puerto Rico. Abstract Book 149, 1995.

Chekanov VS. Adaptation changes in the left ventricular architectonics after apico-aortal conduit implantation. *J Invest Surg* 1995;4:30.

Chekanov VS. Lateral thoracotomy cardiomyoplasty and the 1:4 stimulation regimen. *J Invest Surg* 1995;4:289.

Chekanov VS. Lateral thoracotomy cardiomyoplasty: Review of early and late postoperative results. 5th World Congress of Advantages and Challenges. Puerto Rico. Abstract Book 115, 1995.

Chekanov VS. The 1:4 stimulation regimen is the most advantageous for cardiomyoplasty. 5th World Congress of Advantages and Challenges. Puerto Rico. Abstract Book 114, 1995.

Cheng Q, Rieder M, Tchekanov G, Silverstein E, Zander G, Jacobs G, Schmidt D, Christensen C, Chekanov V. Force enhancement of skeletal muscle used for skeletal muscle ventricle. *ASAIO J* 1995;41(1):97.

Foster C, Gal R, Murphy P, Port SC, Schmidt DH. Ventricular function during exercise testing and training. *J Am Coll Cardiol* 1995;25;260A.

Shalev Y, Malik I, Fortsas M, Schmidt DH, Bajwa T. Initial success and late outcome of below the knee percutaneous angioplasty. First International Meeting on Interventional Cardiology, Jerusalem, Israel, June 18–23, 1995.

Zwicke, DL: Patient controlled analgesia post cardiac surgery results in shorter hospital stays. *J Am Coll Cardiol* 1995;25:396A.

1994

Bajwa T and Schmidt DH: Peripheral angioplasty in the elderly: Demonstration of improved primary success and enhanced long-term benefit. *J Am Coll Cardiol* 23(4):466A;1994.

Chekanov V, Roeva L, Shatalov K. A new original extracardiac conduit. *ASAIO Abstracts* 101,1994.

Chekanov V, Shatalov K, Tolmachev M. New variant of the automuscular ventricle. *ASAIO Abstracts* 194, 1994.

Chekanov VS, Cheng Q, Rieder MA, Christensen CW, Jacobs GB, Smith LM, Schmidt DH. Growing lamb skeletal muscle has the same fatigue resistance after 8 weeks stimulation and 2 weeks delay. 8th Annual Meeting of the European Association for Cardiothoracic Surgery. The Hague. Abstract Book 270, 1994.

Chekanov VS, Cheng Q, Rieder MA, Smith LM, Jacob G, Christensen CW, Schmidt DH. There is no fatigue after 2 weeks delay in conditioned skeletal muscle of growing lambs. 36th World Congress of the International College of Angiology. New York. Abstract Book 28–29, 1994.

Chekanov VS, Cheng Q, Zander G, et al. Fatigue and lactate dehydrogenase correlation in conditioned skeletal muscle of growing lambs. *Chest* 1994;106(2):47S.

Chekanov VS, Riabinina LG. After cardiomyoplasty it is not necessary to stimulate skeletal muscle with every heart contraction. *Eur J Cardiac Pacing Electrophysiol* 1994;2:261.

Foster C, Port SC, Gal R, Schmidt DH. Left ventricular function during incremental and steady state exercise. *J Am Coll Cardiol* 1994;23:328A.

Gal R, Kubota J. Capitation vs. fee-for-service reimbursement of echocardiography procedures. *Circulation* 1994;90:143.

Shalev Y, Rosen L, Bajwa T. Use of the transluminal extraction catheter (TEC) in degenerative SVGs to RCA and second marginal. *Challenges Interven Cardiol* 1994;1(2).

Shetty S, Ishii T, Krum D, Jazayeri M: Microwave radiator design for endocardium applications. *Proc 29th Microwave Power Symposium* 1994 July; 68-71.

1993

Ayzenberg O, Kracoff OH, Oettinger M, Shalev Y, Epstein M, Kuznitz S, Caspi A. Combined thrombolysis and PTCA in acute MI. Presented at the annual Scientific Meeting of the Israeli Cardiology Association, April 19, 1993.

Bajwa TK and Schmidt DH. Retrograde popliteal recanalization of chronic total femoral occlusions in failed antegrade angioplasty: Demonstration of improved primary success and enhanced long-term benefit. *Circulation* 88(4):I–100;1993.

Chekanov VS, Cheng Q, Rieder MA, Smith LM, Christensen CW. Reduced fatigue after two weeks delay in conditioned skeletal muscle of young lamb. *Can J Card* 1993;10(Suppl A):70A.

Chekanov VS, Movsesjan R, Shatalov K. Dynamic atriomyoplasty for surgical treatment of tricuspid atresia—An experimental study. *World Congress of Pediatric Cardiology and Pediatric Cardiac Surgery*. Paris, France, 1993. *J Card in the Jonna* 1993;(3 Suppl) 1:41.

Chekanov VS, Movsesyan RR, Shatalov KV. Dynamic atriomyoplasty method in the surgical treatment of the critical insufficiency of the "right heart". *Pacing Clin Electrophysiol* 1993;16,7,II:1529,.

Chekanov VS, Riabinina LG, Shatalov KV, Vlasov GP, Buslenko NS, Merzliakov YY. Late results of operation of dynamic cardiomyoplasty in patients with ischemic cardiomyopathy. *World Symposium on Cardiomyoplasty, Biomechanical Assist, and Artificial Heart*. Paris, France, Abstract Book 38, 1993.

Chekanov VS, Shatalov KV, Degtyareva EA. Dynamic cardiomyoplasty—An alternative to cardiac transplantation in children? 2nd Inter-national Symposium of Heart Failure. *J Heart Failure* 1993; (1 Suppl):664.

Chekanov VS, Shatalov KV, Tolmachev MV. Automuscle neoventricle estimation of functional competence. *J Artif Organs* 1993;17B:551.

Chekanov VS, Shatalov KV. Automyoventricle—New look at the problem of auxiliary circulation. *J Artif Organs* 1993;17B:551.

Chekanov VS, Shatalov KV. New concept of auxiliary circulation—Automyoventricle. *World Symposium Cardiomyoplasty, Biomechanical Assist, and Artificial Heart*. Paris, France, 194, 1993.

Dubrovsky IA, Shatalov KV, Rijikh AV, Movsesyan RR, Chekanov VS. The use of radio frequency electrostimulators in investigations on cardiomyoplasty for physiological "training" of skeletal muscles. World Symposium Cardiomyoplasty, Biomechanical Assist, and Artificial Heart. Paris, France, 194, 1993.

Gal R, Kubota J, Sarnoski JS, Schmidt DH. Echocardiographic services: how they are used by different health insurance companies. *J Am Coll Cardiol* 1993;21:106A.

Jean W, Al-Bitar I, Zwicke D, Port S, Schmidt DH, Bajwa T. High incidence of renal artery stenosis in patients with coronary artery disease. *J Am Coll Cardiol* 21(2):55A;1993.

Litvinov MM, Shatalov KV, Bochkova II, Chekanov VS. Forming the indications for the operations of dynamic cardiomyoplasty with the use of positron-emission tomography. World Symposium Cardiomyoplasty, Biomechanical Assist, and Artificial Heart. Paris, France, 222, 1993.

Sahota H, Kipshidze N, Dunn E, Chekanov V. Dilatation of coronary arteries—Precursor to coronary stenosis. 2nd International Joint Workshop. Monte Carlo, 1993. Abstracts: Atherosclerosis: New trends in cardiovascular therapy. 1993; p. 77.

Shatalov K, Litvinov M, Prokhorovich I, Chekanov V. Assessment of donor heart viability during pre-transplantation period—New approaches. *J Artif Organs* 1993;17B:527.

Shatalov KV, Movsesyan RR, Chekanov VS. Dynamic atrio-myoplasty as a method of broadening of the Fontan principle for the creation of an active pumping component of the small circulation. World Symposium Cardiomyoplasty, Biomechanical Assist, and Artificial Heart. Paris, France, 96, 1993.

1992

Gal R. Is prophylaxis for infective endocarditis really necessary during transesophageal echocardiography in patients with prosthetic valves? *J Am Coll Cardiol* 1992;19:54A.

Shalev Y, Fogelman R, Ayzenberg O, et al. Predominant apical involvement in patients with ECG diagnosis of anteroseptal MI. Presented at the Scientific Meeting of the Israeli Cardiology Association, April 1992.

1991

Aufderheide TP, Keelan Jr M, Hendley GE, Robinson NA, Hastings T, Lewin R, Hewes H, Daniel A, Engle D, Gimbel B, Bortin K, Clardy D, Schuchard G, Schmidt DH, Bajwa T, Holzhauer P. Milwaukee Pre-hospital Chest Pain Project—Phase I: Feasibility and accuracy of pre-hospital thrombolytic candidate selection. *Ann Emerg Med* 1991;20(4):190/467–191/468.

Bajwa T, Shalev Y, Schmidt DH. Is balloon angioplasty using a Terumo® wire superior to laser angioplasty of chronic total occlusion in peripheral arteries. *J Am Coll Cardiol* 17(2):105A;1991.

Blanck Z, Makal J, Hanson L, Strommen P, Jazayeri M, Akhtar M. Prediction of atrioventricular block during radiofrequency ablation of the fast pathway in atrioventricular nodal reentry. *Circulation* 84:II-235, 1991.

Braunstein E, Bajwa T, Andrei L, Maglio C, Richardson C, Shen Y, Schmidt DH. Early and late outcome of revascularization for unstable angina in octogenarians. *J Am Coll Cardiol* 17(2):151A;1991.

Chekanov VS, Krakovsky AA, Andreev DB. Evaluation of indirect myocardial revascularization after cardiomyoplasty procedure by a method of nuclide myocardial scintigraphy. *Eur Heart J* 1991;12,8:2033.

Chekanov VS, Krakovsky AA, Dumchus AS. Correction of myocardial insufficiency (cardiomyoplasty operations). 11th Annual Meeting of the American Society for Laser Medicine and Surgery. San Diego, California, *Laser Surg ed*, 1991; suppl 3, p 81.

Pekarsky V, Chekanov VS, Krakovsky A, et al. Cardiomyoplasty in the treatment of dilated cardiomyopathies. *Eur Heart J* 1991;12, 8: 2032.

Sarnoski J, Dhala A, Bajwa T, Kubota J, Gal R: Transesophageal echocardiography for monitoring of radiofrequency ablation of accessory pathways in Wolff-Parkinson-White Syndrome. *Circulation* 84:(Part II):708, 1991.

Shalev Y, Schmidt DH, Zander G, Christensen CW. Quantitation of blood platelet activating factor in a canine model of prolonged myocardial ischemia: Can the antagonist RP-S2997 limit infarct size or prevent reperfusion injury? Presented at the Annual Scientific Meeting of the Israeli Cardiology Association, 1991.

Shatalov KV, Chekanov VS, Dubrovsky IA. Dynamic atrio-myoplasty: How do we try to modernize Fontan's Principle? *J Cardiovasc Surg* 1991;32,4:23.